

Importing a repo via HTTPS

Tags: Flow (<https://pluralsight.knowledgeowl.com/help/search?phrase=:Flow>)

This is a step-by-step guide for adding a single repo via HTTPS.


Learn more about [Bulk importing repos via HTTPS](https://pluralsight.knowledgeowl.com/help/bulk-importing-repos-via-https). (<https://pluralsight.knowledgeowl.com/help/bulk-importing-repos-via-https>)

Who can use this?


Core Plus
✓ ✓

Adding a single repo

1. Click **Settings** in Flow's top navigation bar. In the left navigation under **Integrations**, click **Integrations**.
2. Click **Add Integration** in the top right corner of the integrations page.




3. Click **Generic Repo** from the Integration Provider list. Click **Next**.



4. Enter your Git host username, password, and the clone URL for the private repo you want to import.

Tip: If you enabled two-factor authentication, the password is replaced with a token. Create a personal access token unique for each git host. See [how to create a token in GitHub](https://help.github.com/en/github/authenticating-to-github/creating-a-personal-access-token-for-the-command-line) (<https://help.github.com/en/github/authenticating-to-github/creating-a-personal-access-token-for-the-command-line>).



Generic Repo

Select an Authentication Method

In order to create an integration with Generic Repo, we need to authenticate with the Provider selected in the previous step.

HTTPS SSH

public repo

Username
rjohnson


Password

Base URL
https://github.com/myorg/loadingdockv2.git

[Bulk import](#)

Test connection

Public repos do not require a username and password.



Generic Repo

Select an Authentication Method

In order to create an integration with Generic Repo, we need to authenticate with the Provider selected in the previous step.

HTTPS SSH

public repo

Base URL
https://github.com/myorg/loadingdockv2.git

[Bulk import](#)

Test connection

5. Click **Test connection** to verify your credentials.

Generic Repo

Select an Authentication Method

In order to create an integration with Generic Repo, we need to authenticate with the Provider selected in the previous step.

HTTPS SSH

public repo

Username
rjohnson


Password

Base URL
https://github.com/myorg/loadingdockv2.git

Bulk import

Test connection


6. If your connection is successful, you will see a success message.




If your connection was not successful, you will see an error message.
Here are a few reasons your repos might fail to import:

- Clone URL is incorrect
- User name or password are incorrect
- Repo is already imported
- Two-factor authentication is enabled for your Git host. Use a personal access token


7. If your connection is successful, click **Next**.



8. Ensure the repo service is **on** and click **Next**.



9. Name your integration. Click **Create**. You successfully created a new integration and imported your repo via HTTPS.



Tip: If you imported other repos via HTTPS under another integration, you can assign and consolidate all HTTPS Integrations under one. Learn more about [Managing repositories](https://pluralsight.knowledgeowl.com/help/managing-repositories) (<https://pluralsight.knowledgeowl.com/help/managing-repositories>).

10. To view your imported repo, click the link under the **Repos** tab on your **integration** page. Learn more about [Managing integrations](https://pluralsight.knowledgeowl.com/help/manage-integrations) (<https://pluralsight.knowledgeowl.com/help/manage-integrations>).



[back to top](#)

If you need help, please email support@pluralsight.com () for 24/7 assistance.